

Wound Care Instructions ED&C (Electrodessication and Curettage)

Dr. Domingues performed an **ED&C**.

INITIAL DRESSING CARE □ Initial bulky dressing stays in place for 24-48 hours. Keep the dres	
□ After you remove the initial dressing, you may shower. Do not sub	omerge the wound site.
DAILY DRESSING CARE □ Wash hands before each dressing change. □ Change the bandage once daily. □ Remove the bandage	PRESCRIPTION(S) sent to the pharmacy: Yes No
 Gently cleanse the wound with soap and water. Try to clean off any crust or debris. Then apply a thick layer of ointment (aquaphor/mupirocin Cover the wound with a bandaid / telfa and tape. 	n)
$\hfill\Box$ Continue wound care and keep wound covered at all times unti	I healed (2 to 4 weeks).
THINGS TO AVOID ☐ For the first 48 hours, avoid strenuous activities such as exercise, can place stress the wound or raise your blood pressure and resu ☐ Avoid submerging the wound such as taking a bath, swimming or ☐ Avoid smoking which can delay wound healing.	ult in infection or bleeding complications.
DISCOMFORT: □ Keeping the area elevated in the first 48 hours will decrease swel □ You may ice the area for 10 -15 minutes every hour for the first 24 □ For pain, take tylenol (acetaminophen) every 6 hours. □ Avoid alcohol and ibuprofen or other NSAIDs for 3 days. □ DO NOT stop aspirin if you currently take a daily aspirin.	
BLEEDING: □ If light bleeding occurs, apply direct pressure over the wound for □ If bleeding continues, repeat this cycle once again. If bleeding still	
 INFECTION: □ Signs of infection include increasing pain, redness, swelling, drain red streaking, go to urgent care or the emergency room immediated. □ If you experience any signs of infection, call the office right away 	tely.
* An ED&C may take up to 4 weeks to heal. Expect the area to I	look like a 'burn'.
PHONE NUMBERS TO CALL (Please call us with any question Call the Clinic and ask for the nurs	